

.Article II. Traditional Neighborhood Development

CHAPTER 3320

**TRADITIONAL NEIGHBORHOOD
DEVELOPMENT**

Sections:

3320.01	Purpose.
3320.011	Principles.
3320.013	Transect.
3320.03	Definitions.
3320.05	Neighborhood edge district.
3320.07	Neighborhood general district.
3320.09	Neighborhood center district.
3320.11	Town center district.
3320.13	Administration.
3320.15	Thoroughfares.
3320.17	Civic Spaces and civic buildings
3320.19	Private buildings.
3320.21	Natural and historic resources.

3320.01 Purpose.

The purpose of this article is to encourage the development of transit-supportive mixed-use neighborhoods that foster pedestrian activity and a sense of community. It recognizes that many activities of living should occur within easy walking distance, giving independence to those who do not drive. It also recognizes the importance of linkages to the broader community and the importance of public transit as a viable alternative to the automobile by providing appropriate densities and land uses within walking distance of the transit stop.

This article recognizes that the suburban development pattern of late 20th century has produced a separation of land uses, excessive vehicular trip generation, inefficient public transportation, and infrastructure costs that exceed available resources. It is the intent of this article to provide for a development pattern that can reduce trip demand and infrastructure costs, and to create more viable communities, by adapting the land development principles that guided our country's first settlements, towns, cities and suburbs. (Ord. 1518-01 § 3 (part).)

3320.011 Principles.

Those principles, as adapted to our current situation, are listed below:

A. The basic increment of planning is the transit-supportive, mixed-use neighborhood of a minimum density of five (5) units per acre.

B. The neighborhood is defined by an easy walking distance from edge to center, ranging from a quarter (1/4) mile to a half (1/2) mile.

C. A variety of housing stock serves a range of incomes and age groups and includes backyard apartments, apartments above shops and residential units adjacent to work places.

D. A variety of business types are accommodated, from retail and professional offices to live-work units and outbuildings for start-up businesses. The office stock serves a range from home occupations to conventional office buildings. The retail stock includes a range from the corner store to small supermarkets.

E. Special sites are reserved for civic buildings to serve as symbols of the community, thus enhancing community identity.

F. A variety of civic space takes the form of parks, greens, squares and plazas.

G. A variety of thoroughfares are designed to be equitable to the pedestrian, bicycle and automobile. Thoroughfares are connected in such a way as to encourage walking and reduce the number and length of automobile trips.


H. Building frontages spatially delineate thoroughfares and civic spaces and mask parking lots.

I. Smaller block sizes reflecting intensity of use for each district will serve to support the above principles. (See Transect diagram)

This article contains four (4) zoning districts that support the development of more traditional communities. These districts include neighborhood edge, neighborhood general, neighborhood center and town center. While these districts support a mix of land uses, not all uses are considered appropriate. Section 3320.19 identifies certain prohibited uses, including most drive-through commercial uses, retail uses exceeding ten thousand (10,000) square feet, automotive sales, and large scale transportation and distribution facilities. Therefore, it should be recognized and understood that not all sites in the community are considered appropriate for the zoning districts contained in this article. (Ord. 1518-01 § 3 (part).)

3320.013 Transect.

The transect illustrates the desired interrelationship of the traditional neighborhood development districts.



(Ord. 1518-01 § 3 (part).)

3320.03 Definitions.

“Administrative Review” means the review of a Regulating Plan.

“Ancillary dwelling unit” means a dwelling unit not greater than eight hundred (800) square feet sharing a single set of utility connections with a principal building. It may or may not be a separate building. Either the principal building or the apartment shall be occupied by the owner. ~~An ancillary dwelling unit does not count toward density calculations.~~

“Apartment” means a dwelling unit sharing a building and a lot with other dwellings and/or uses.

“Back of a building” means the side opposite the front of a building.

~~“Basis points” means total possible points not including bonus points.~~

“Bicycle network” means an interconnected system of bicycle trails, thoroughfares, and/or bicycle lanes within thoroughfares.

“Bicycle lane” means a dedicated bicycle way generally created by striping from the edge of a thoroughfare.

“Bicycle route” means a vehicular travel lane within a thoroughfare having speed limit of twenty-five (25) mph and below.

“Bicycle trail” means an independent bicycle way generally running through the countryside or parallel with a parkway or highway.

“Big box retail” means a retail store with greater than fifty thousand (50,000) square feet of retail floor space on one (1) floor.

“Block” means the length of thoroughfare, other than alley, path, and passage, street between two (2) intersecting thoroughfares, except alley, path, and passage, streets.

~~“Boulevard” means a wide access way, often lined with trees having a landscaped median in the center with its axis usually terminated. A boulevard may be conceived as an elongated square.~~ See Thoroughfares section.

“Building parcel” means a tract of land intended to be occupied by individually owned building(s).

“Buildout” means the portion of the building on the frontage line. Clarify

“Café” means a restaurant of less than 2000 square feet located on its own lot.

“Civic Buildings” may be used for neighborhood scale commercial uses, and not-for-profit organizations dedicated to religion, recreation, arts and culture,

education, government, social service, and transit. Must be open to the public?

“Civic space” means a tract of land, designated and used by the public for active and passive recreation. Must be open to the public?

~~“Close” means a thoroughfare enclosing a small green. See Thoroughfares section.~~

~~“Collector street” means a local, slow movement thoroughfare suitable for neighborhood general, neighborhood center and town center districts. Streets provide frontage for high density buildings such as office, shops, apartment buildings and rowhouses. A collector street is urban in character, with raised curbs, closed drainage, sidewalks, parallel parking, and trees in individual planting areas. Character may vary somewhat, however, responding to the fronting commercial or residential uses. See Thoroughfares section.~~

~~“Commercial street” means a local, slow movement thoroughfare suitable for neighborhood center and town center districts, providing frontage for higher density mixed use buildings such as shops and offices. It is urban in character with raised curbs, storm drain inlets and striped on street parking. A single species of tree is planted in continuous alignment and confined by individual planters to create a sidewalk of maximum width, with areas accommodating street furniture. Clear trunks and high canopies are necessary to avoid shopfronts, signage and awnings. See Thoroughfares section.~~

“Commercial use” means the general term that includes office and retail uses. See Use Standards.


~~“Common lawn” means a frontage type in which the façade is set back substantially from the frontage line. The front yard thus created should remain unfenced and be visually continuous with adjacent yards. The ideal is to simulate buildings sitting in a common rural landscape. A front porch is not warranted, as social interaction from the fronting thoroughfare is unlikely at such a distance. Common lawns are suitable frontages for higher speed thoroughfares, as the large setback provides a buffer from the traffic. See frontage type diagrams.~~

“Conceptual thoroughfare plan” illustrates the general location of thoroughfare pattern, identifies public and publicly accessible thoroughfares, establishes the location of connections to adjacent properties and thoroughfares, and the types of thoroughfares utilized.

“Corner store” means a retail grocery store of less than 2000 square feet on its own lot. Selling staple

groceries, snacks, pharmaceutical items, and/or food and drinks to be consumed off-premises.

“Curb radius” means the curved edge of a thoroughfare at an intersection.



remove diagram

“District” means an area dedicated to a single zoning category.

~~“Dooryard” means a frontage type in which the facade is set back from the frontage line with an elevated garden or terrace or a sunken light court. This type can effectively buffer residential quarters from the sidewalk, while removing the private yard from public encroachment. The terrace is suitable for restaurants and cafes as the eye of the sitter is level with that of the standing passerby. The light court can give light and access to a basement. See frontage type diagram.~~


~~“Driveway” means a vehicular access way into a lot from the frontage.~~

~~“Drive-thru” means a building or portion of a building designed for customers to receive goods or services while remaining in a motor vehicle.~~

“Elevation” means the exterior walls of a building. See Façade.

“Entrance door” means the principal entrance to a building, usually leading directly to a lobby, the main shopping floor or the living room.

“Façade” means the exterior walls of a building that are set along a frontage line. See Elevation.



remove diagram

“Forecourt” means a frontage type in which the façade is aligned close to the frontage line with a portion of it set back. The forecourt created is suitable for gardens, vehicular drop offs, and utility off loading. This type should be used sparingly and in conjunction with the two frontage types above, as a continuous excessive setback is boring and unsafe for pedestrians. Trees within the forecourts should be placed to have their canopies overhanging.

“Foundation planting” means the planting along the exterior foundation of a building designed to soften and enhance the architecture and to accentuate certain architectural elements (i.e. entryways). The planting should be of correct size for the intended location and should be designed to present a continuous theme around the building using both evergreen and deciduous materials to provide year round appeal. Planting should be maintained to prevent an overcrowded or overgrown appearance.

“Front” means the provision of an element along a frontage line, as in “porches front the avenue.”

“Front of a building” means the widest side of the building fronting on the widest thoroughfare except lane, alley or a passage, interconnected with other thoroughfares, which has no fewer entrance doors than any other side of the building.

“Frontage” means the layer of a lot between the façade and the lot line that fronts a thoroughfare or a civic open space or the privately held layer between the façade of a building and the lot line.

~~“Gallery and arcade” means a frontage type which is the façade of a building or an attached colonnade. The building overlaps the sidewalk above while the ground story remains set back at the lot line. This type is indicated for retail use, but only when the sidewalk is fully absorbed within the arcade so that a pedestrian cannot bypass it. An easement for private use of the right-of-way is usually required. To be useful, the arcade~~

~~should be no less than twelve (12) feet wide. See frontage types diagram.~~

~~“Green” means a medium sized civic open space available for unstructured recreation, its landscape predominantly consisting of grassy areas and trees, naturalistically disposed and requiring only limited maintenance. See frontage types diagram.~~


~~“Hedge” means a continuous row of shrubs with minimum height of twenty-four (24) inches at installation, three (3) feet on center maximum and reaching thirty-six (36) inches in height and eighty-five (85) percent opacity within three (3) years.~~

~~“Lane” means a vehicular access way located to the rear of lots providing access to parking and outbuildings and utility easements designed for providing access to more than two residential properties. No overhead wires, no overhangs, and no parking are permitted in the right-of-way. See Thoroughfares section.~~

~~“Live-work unit” means a commercial building type with one dwelling above a commercial shopfront. Common walls are permitted on the side lot lines.~~

~~“Lodging” means premises available for short-term residence, including daily and weekly letting. See Use Standards Table.~~

~~—“Lot line” means the boundary that legally and geometrically demarcates a lot. Lot lines appear graphically on the Regulating Plan as the baseline for measuring setbacks. See Frontage Line.~~



remove diagram

~~“Lot width” means the dimension of a lot measured parallel to the frontage line at the building setback.~~


~~“Mid-block parking lot” means parking lots situated between the side walls of buildings and not extending beyond the rear or front wall of the buildings, which are no wider than two parking lanes and the access drive.~~

~~“Neighborhood scale commercial” means single use retail tenants of ten thousand (10,000) square feet or less.~~

~~“Outbuilding” means an ancillary building, usually located towards the rear of the lot, on the same lot as an existing or future principal building. See Principal Building.~~

~~“Park” means a large open area available for recreation, usually located at the neighborhood edge, fronted by buildings. Its landscape comprises paved paths and trails, open lawn, trees, and open shelters, all naturalistically disposed and requiring limited maintenance. See civic space types diagram.~~

~~“Parking layer” means the depth of the lot within which open parking is permitted. The first layer is the area between the frontage line and the façade. The second layer is the area behind the façade to the rear lot line. The third layer is the area between twenty (20) feet behind the front façade to the rear lot line. (see Building Standards Table)~~



correct diagram

~~“Parking structure” means a building containing two (2) or more stories of parking.~~

~~“Parking way” means a frontage type in which the façade is no more than eight (8) feet from the right-of-way. Parking is placed within the first layer. Private sidewalks are provided between the public sidewalk and the building entrances. The parking area and private sidewalk system are landscaped to provide shade and shelter and a streetwall buffer. Appropriate transit stops are provided along the frontages, directly linked to the private sidewalk system. See frontage type diagram, frontage types diagram.~~

~~“Passage” means a pedestrian connector passing between buildings. Passages provide shortcuts through long blocks and connect rear parking areas with street frontages. Passages may be roofed over and lined by shopfronts. See Thoroughfares section.~~

~~“Path” means an independent pedestrian access way generally running through open space or parallel with highways. See Thoroughfares section.~~

~~“Pedestrian shed” means the distance that may be traversed at an easy pace in a five (5) minute walk from the center of Neighborhood Center or Town Center approximately generally one-third (1/3) of a mile radius.~~


~~“Play equipment” means~~

~~“Plaza” means a public space at the intersection of important streets set aside for civic purposes and commercial activities, its landscape consisting of durable pavement and trees requiring little maintenance. See civic space types diagram.~~

~~“Porch and fence” means a frontage type in which the façade is set back from the frontage line with an encroaching porch appended. The porch should be within a conversational distance of the sidewalk, while a fence (optional) at the frontage line maintains the demarcation of the yard. A great variety of porches is possible, but to be useful, none should be less than eight (8) feet wide. See frontage types diagram.~~

~~“Principal building” means a building in which the principal use of the property is conducted. All parcels containing at least one building shall be deemed to have a principal building. A parcel may contain more than one principal building.~~

~~“Principal building” means the main building on a lot, always oriented towards the frontage. A principal building accommodates the functions described in the Use Standards Table.~~



correct diagram

~~“Retail frontage line” means those frontage lines designated on the Regulating Plan that are required to provide a shopfront, making the ground level available for retail or commercial use.~~

~~“Rowhouse” means a single-family house placed on its own lot, sharing at least one (1) sidewall with an adjacent rowhouse.~~

~~“Setback” means the area of a lot measured from a lot line that must be maintained clear of permanent structures. Galleries, fences, arcades, porches, stoops, balconies, bay windows, terraces, and decks (that align with the first floor level) may encroach into the frontage and the rear setback. Encroachments elsewhere in the zoning code such as eaves and overhangs are also permitted. Air conditioning units are permitted in the side yard.~~

“Setback line” means the building line.

“Building line” means a clearance line limiting the approach to a lot line of a building exclusive of open porches, steps, terraces, walkways or separate accessory building, or as otherwise provided in this Zoning Code. (Ord. 2837-96 § 2 (part); Ord. 1425-01 § 3 (part); Ord. 1143-02 § 1 (part); Ord. 546-03 § 1 (part).)

~~“Shared parking” means the condition wherein day/night and weekday/weekend schedules allow parking spaces to be shared by users of more than one (1) building or more than one (1) use within the same building.~~

~~“Shopfront” means a frontage type in which the façade is aligned close to the frontage line with the entrance at sidewalk grade. This type is conventional for retail frontage. It is commonly equipped with a cantilevered shed roof or an awning. The absence of a raised ground story precludes residential use on the ground floor, although this use is appropriate above. See frontage types diagram.~~


~~“Square” means a public space, seldom larger than a block, at the intersection of important streets, its streetscape consisting of paved walks, lawns, trees and civic buildings all formally disposed and requiring substantial maintenance. See civic space types diagram.~~

~~“Stoop” means a frontage type in which the façade is aligned close to the frontage line with the ground story elevated from the sidewalk, securing privacy for the windows. This type is suitable for ground floor residential uses at short setbacks with rowhouses and apartment buildings. An easement may be necessary to accommodate the encroaching stoop. This type may be interspersed with the shopfront. See frontage types diagram.~~

~~“Street” means a local, slow movement thoroughfare suitable for neighborhood edge, neighborhood general, and neighborhood center. A street is urban in character, with raised curbs, closed drainage, sidewalks, parallel parking and trees in continuous planting areas. Character may vary somewhat, however, responding to the fronting commercial or residential uses. See Thoroughfares section.~~

~~“Streetwall” means a continuous wall or fence with a minimum height of thirty-six (36) inches and ninety (90) percent opacity.~~

~~“Terminated vista” means the visual composition at the axial termination of a thoroughfare. The termination or deflection should occur within six hundred (600) feet of any vantage point.~~



“Thoroughfare” means the urban element that provides the major part of the public space as well as paved lanes for vehicles. A thoroughfare is endowed with two (2) attributes: capacity and character. Capacity is the number of vehicles that can move safely through a segment of the thoroughfare within a given time period. It is physically manifested by the number of lanes and their width, by the centerline radius, and the superelevation of the pavement. Character is suitability of a thoroughfare as a setting for pedestrian activities and as a location for a variety of building types. Character is physically manifested by the thoroughfare’s associated building and frontage types as determined by its location within each district.

“TND” refers to Traditional Neighborhood Development, Article II of City of Columbus Zoning Codes. (Ord. 1518-01 § 3 (part); Ord. 1627-02 § 1.)

3320.05 Neighborhood edge district.

The neighborhood edge district is the least dense, most purely residential part of a community. It consists principally of single-family, detached houses with outbuildings permitted. Buildings are situated on larger lots with setbacks on all sides. Where lots are wide enough, garages may be accessed from the front by a driveway. The preferred building frontage is the common lawn. Civic spaces are parks and greens. The neighborhood edge district is designated as “NE” on the Zoning Map. (Ord. 1518-01 § 3 (part).)

3320.07 Neighborhood general district.

The neighborhood general district is a primarily residential part of a community, typically the largest area within the pedestrian shed. It consists of single-family, both attached and detached, houses with one (1)

outbuilding permitted on each lot. Buildings are situated on smaller lots with shorter setbacks to the front and side yards. The narrow lots require that the parking be accessed from the rear by lanes. Building frontages allow for porches, fences, and small lawns. The streetscape consists of the regular, aligned planting of single tree species. The thoroughfares are roads or streets usually including parallel parking, bordered by curbs equipped with underground storm drains and bordered by sidewalks. Civic spaces are parks, greens and squares. The neighborhood general district is designated as “NG” on the Zoning Map. (Ord. 1518-01 § 3 (part).)

3320.09 Neighborhood center district.

The neighborhood center district is the denser, fully mixed-use part of a community. It is typically located at the center of a pedestrian shed or along an important thoroughfare. It consists primarily of attached buildings and apartment houses without outbuildings. The parking, which is substantial, must be accessed by rear alley and located behind the front facade of the building. The thoroughfares include parallel parking and the civic open spaces consist of squares and greens. The neighborhood center district is designated as “NC” on the Zoning Map. (Ord. 1518-01 § 3 (part).)

3320.11 Town center district.

The town center district is the densest business, cultural and entertainment concentration of the community. Buildings are attached and often tall, situated on a wide range of lot sizes. There is a very short mandatory front setback with wide sidewalks. The majority of required parking is to be accessed by rear alley or provided on the street. All uses not considered noxious are permitted within the buildings. Civic spaces are squares and plazas. The town center district is designated as “TC” on the Zoning Map. (Ord. 1518-01 § 3 (part).)

3320.13 Administration.

A. General Provisions.

1. A traditional neighborhood development (TND) can include one (1) or more of four (4) zoning districts: neighborhood edge, neighborhood general, neighborhood center and town center. The procedures in Chapters 3305 and 3307 of the Columbus City Code apply to a TND. Additional requirements are described herein.

2. The TND is not subject to limited overlay provisions of Columbus City Codes Chapter 3370.

3. Should conflicts exist with other provisions of the Zoning Code, the more stringent provisions shall apply.

4. Should conflicts exist, this article shall take precedence over Section 3123.08 of Columbus City Codes.

5. Should conflicts exist, the Columbus Building Code shall take precedence over this article.

6. Applications shall comply with requirements of Chapters 3318 and 3125.

7. The definitions in this article apply only to the TND Article. In the absence of a definition in this article, other definitions of the Zoning Code apply.

8. The minimum land area for rezoning to a TND district is two (2) acres.

9. If the development contains private thoroughfares roads, each property owner must be notified of this fact by deed or covenant.

10. Diagrams included in this article serve where indicated will serve only as illustrations and shall not be used as definitions or limitations.

11. Projects of fifty (50) to one hundred (100) acres shall have no less than ten (10) percent of the project area contained in each of two (2) TND districts

12. Projects over one hundred (100) acres shall have no less than ten (10) percent of the project area contained in each of three (3) TND districts.

13. No more than fifty (50) percent of any TND project area shall be allocated to neighborhood edge district.

14. Projects over one hundred (100) acres shall have no more than fifty (50) percent of the project area allocated to neighborhood center district.

15. Perimeter lots in the neighborhood general district that abut the neighborhood center district may be developed using neighborhood edge standards. No other use of neighborhood edge districts or standards may occur adjacent to neighborhood center or town center districts.

B. Rezoning Application Requirements.

1. An application for rezoning must include:

A. Development plan including a site plan indicating the proposed district(s) (neighborhood edge, neighborhood general, neighborhood center, or town center), conceptual bicycle plan, conceptual thoroughfare plan including thoroughfare types and connections to adjacent thoroughfares and properties, designation of public thoroughfares known at the time of zoning, and the one-third (1/3) mile pedestrian shed of commercial uses; civic spaces including the location of play equipment, and civic buildings; location and size of civic spaces and civic building sites; maximum number of residential units, and maximum square footage of non-residential uses for each district.

The thoroughfare types and connections included in the site plan must be consistent with the findings of Traffic Impact Study, if required, or the guidelines established by the Department of Public Service.

B. Regional context diagram (drawing upon the existing land uses, the proposed land use plan, and/or approved area plan) showing how the application fits into the surrounding land uses and is consistent with the purpose statement and intent of this article per Chapter 3320.

C. Statement addressing the consistency of the application with each TND principle in Section 3320.011.

D. An existing conditions plan, depicting the site at the time of zoning application, at least one (1) inch equals two hundred (200) feet min., showing location, north arrow, scale, property lines, dimensions and area, adjacent properties, existing thoroughfares, existing buildings and natural and historic resources.

E. Site plan showing the location of the street trees, public access to public civic spaces, and location of water retention/detention areas in civic spaces. If the area of water retention/detention areas increases by more than twenty five percent (25%) from the rezoning application to the final storm water detention site plan in civic spaces, a new rezoning application must be submitted.

F. Site plan showing the natural and historic resources to be preserved.

2. After approval of the application for rezoning by city council the applicant may apply for zoning clearance or submit a plat for approval. must submit the Regulating Plan (Section 3320.135) and any additional documentation requested to support compliance with requirements of the rezoning ordinance.

~~—C. Regulating Plan Administrative Review.~~

~~1.—After approval of the rezoning application by city council, the applicant must submit a regulating plan for administrative determination of compliance with the requirements of this article.~~ To receive administrative approval the zoning clearance application regulating plan must be in compliance with the boundaries of the zoning districts, designation of public thoroughfares, maximum number of residential units and maximum square footage of non-residential uses as approved by city council and the requirements of this article. Substantial compliance must be achieved with respect to the conceptual thoroughfare plan, bikeway plan and the location and size of civic spaces and civic building sites approved by city council. No zoning clearance shall be issued without such approval. Substantial compliance with regard to the

conceptual Thoroughfare Plan will mean compliance with type of public and publicly accessible thoroughfares, unless changes are approved by Transportation Division, general location and type of access to adjacent thoroughfares and properties, the general internal circulation pattern, ~~and the designation of public thoroughfares.~~

~~—2.— The purpose of the administrative review is to confirm that submitted documents conform to the requirements of this article. A checklist containing the mandatory and desired elements of Sections 3320.15, 3320.17, 3320.19, and 3320.21 with a minimum score required, will be used to determine regulating plan compliance with the code.~~

3. A zoning clearance application regulating plan may be submitted for all or a portion of territory zoned in one or more TND districts. If the zoning clearance application regulating plan is intended to ~~claim points for features or~~ meet requirements, such as parking, through features, contained in the larger territory but outside the limits of the zoning clearance application regulating plan itself, a Memorandum of Agreement (MOA) is required to be submitted at the time of zoning clearance application regulating plan submittal. The MOA is an agreement among the owner(s) of the property that was the subject of the rezoning, the developer(s) of the zoning clearance application regulating plan area, and the city of Columbus. The MOA must describe specifically the areas in which ~~development standards points~~ will be ~~met by claimed for~~ features outside the zoning clearance application regulating plan area and whether such areas are it is intended to be used to meet development standards claim points for such features on future zoning clearance applications regulating plans.

4. The owner(s) of property and the developer(s) of the zoning clearance application regulating plan area must sign the MOA at the time of zoning clearance regulating plan submittal. Upon approval of the regulating plan zoning clearance application, the director of the department of development or his/her designee will sign the MOA and copies will be transmitted to the owner(s) and developer(s). A copy of the MOA will be placed in the rezoning file for use in the review of each zoning clearance application regulating plan for territory contained in the TND district(s) covered by the rezoning.

~~—5.— The regulating plan must contain all mandatory elements in each section (Thoroughfares, Natural and Historic Resources, Civic Spaces and Civic Buildings, Private Buildings) and obtain at least fifty (50) percent of the possible points in the Desired Elements category of each section and seventy five (75) percent of the possible points of both categories (Mandatory and Desired~~

~~Elements) for all sections added together. Within the Desired Elements categories, items not applicable to a particular application shall not count toward the basis points for calculating the percentages. Under no circumstances are bonus points to be considered toward the basis points.~~

~~—6.— Documents including, but not limited to, the following shall constitute the regulating plan.~~

Documents including but not limited to the following shall be submitted with the Zoning Clearance application:

Form A: Regulating Plan Review Application.

Form B: Project Statistics Table.

A Site Plan at least one (1) inch equals two hundred (200) feet minimum, with corresponding statistics, showing natural and historic resources, zoning districts, frontage types, proposed thoroughfares and thoroughfare types, proposed civic spaces, and adjacent properties, thoroughfares, buildings, and natural and historic resources. All thoroughfare types, parking regulations, zoning districts and boundaries, frontage types, building parcels and/or lots must be labeled on the site plan.

List of street tree species for the approval of the City Forester.

Civic Space Detail Plans at one (1) inch equals fifty (50) feet minimum, showing landscaping and location of benches and play equipment, catalog cuts of site furniture, details and specifications of pads for site furniture, layout drawings of playground equipment and manufacturer specifications, and details and specifications of playground surfacing materials.

~~—An Illustrative Site Plan at one (1) inch equals two hundred (200) feet minimum. (optional)~~

Proposed home owners association documents.

Any additional materials, as required, to document compliance with the code. (Ord. 1518-01 § 3 (part); Ord. 1627-02 § 2.)

3320.15 Thoroughfares.

A. ~~General~~ Development Standards.

1. Department of Public Service must be consulted during the application process for any rezoning that includes any thoroughfares.

1. Thoroughfare types permitted by this article are described in detail in the Permitted Thoroughfare Types by District Table. The Thoroughfare Standards Table lists the requirements for each thoroughfare type.

The Department of Public Service may modify the established requirements of any thoroughfare type. Thoroughfare types shall be designated on the zoning clearance application regulating plan as specified herein.

1. Setbacks from existing roadways shall be determined according to established guidelines of Department of Public Service.

2. The location of street trees may be altered to reflect specific site and building placement.

3. Plantings in the right-of-way are subject to city forester review and approval.

4. In the case of private thoroughfares, right-of-way provisions are intended as dimensional requirements to accommodate sidewalk, planter and other thoroughfare elements.

5. In the neighborhood center and town center districts the design of street, collector, commercial street, and close thoroughfare types may be modified such that the sidewalk is adjacent to the pavement and the planter located between the sidewalk and right-of-way edge. Sidewalk width must be increased to six (6) feet and the Director of the Department of Public Service public service department must approve the overall design.

6. All thoroughfares, public or private, must include provisions for appropriate signage such as no-parking signs in conformance with the uniform signage manual or other means approved by public safety director and public service director.

7. ~~Refuse collection~~ The Director of Department of Public Service division must approve the layout of public or private thoroughfares intended for the use by refuse collection vehicles. Multifamily developments, condominium and homeowner association documents must include a provision that thoroughfares, refuse collection service methods, and other needed infrastructure will meet city standards be upgraded, as needed, in the event that city refuse collection service is requested.

8. Multi-use paths, bikeways and bike paths must be publicly dedicated or be placed within a public easement.

~~B. Mandatory Elements:~~

1. Thoroughfare lighting fixtures on public and private thoroughfares must be are of traditional design and conform with the standards for Street Lights #1, 2, 3, 4, and 5 contained in Columbus Street Lighting Master Plan, Project 2020 Lighting Columbus. (3 pts.)

2. Lanes are provided for all lots less than fifty (50) feet in width. (3 pts.)

3. Commercial lots in neighborhood center and town center districts have rear parking areas accessed by an alley, except the parking way frontage type may be used for commercial uses. No parking is permitted in the alley or lane right of way except for A1-86-60. (3 pts.)

4. Alleys and lanes are interconnected. (3 pts.)

5. All parking in a neighborhood center district is on-street, in parking lots, in parking structures/garages,

or in a combination of the three. All parking lots are located mid-block or behind the buildings and accessed from an alley connected to other thoroughfares, except ~~that for~~ the parking way frontage type may be used for commercial uses. Where a parcel contains one (1) principal building with no more than eight (8) dwelling units, the rear parking lot may be accessed through a driveway to the fronting thoroughfare. (No more than sixteen (16) dwelling units may be accessed by any one driveway.) No more than half the units located on any given thoroughfare can be accessed by a driveway. (3 pts.) Arrange field trip and review this standard

6. Vistas of six hundred (600) feet or longer are not terminated by parking lots. (3 pts.)

7. The thoroughfare network and thoroughfare types conform with the permitted thoroughfare types by District Table and the Thoroughfare Standards Table. (3 pts.)

8. The thoroughfare ~~layout~~ connects to all adjacent right of way or public stub streets/thoroughfares and includes public stub streets/thoroughfares to facilitate connections to adjacent future development sites. Substantial internal connections shall also exist within the site. The thoroughfares layout contains no cul-de-sacs or other unconnected thoroughfares, unless a determination is made by the director of the Department of Development department of development or his/her designee that the provision of connected streets is infeasible or inappropriate. (3 pts.)

9. Zoning clearance application Regulating plan shall include a bicycle network of trails, lanes, thoroughfares, and/or routes and connections to adjacent properties. (3 pts.)

10. The front of a building faces a civic space or a public or private vehicular thoroughfare, except a lane, alley, or passage, interconnected to other thoroughfares. (3 pts.)

11. Buildings do not back onto public or private vehicular thoroughfares, except limited access highways, lanes, alleys, or passages. (3 pts.)

12. All lots in neighborhood general are accessed from lanes. (3 pts.) except neighborhood general lots permitted to be developed with neighborhood edge standards.

~~C. Desired Elements:~~

~~1. Neighborhood edge thoroughfares intersect in unconventional geometries. (0-2 pts.)~~

~~2. Landscaped medians are constructed in neighborhood center or neighborhood general districts. (0-3 pts.)~~

~~3. Landscaped medians are constructed in town center districts. (0-3 pts.)~~

~~4. Medians are built up to the right of way of intersecting streets, rather than being set back for dedicated left turn lanes. (1 pts.)~~

5. Utilities other than sewer and water facilities are located at the rear of properties. ~~(0-2 pts.)~~ consider elimination

6. In conjunction with on-street parking, parking is provided in the rear of commercial lots in neighborhood center and town center districts. This item is not

applicable where on-street parking is prohibited. ~~(0-2 pts.)~~ consider removal upon clarification of locations of permitted parking.

7. Bicycle parking is provided either in ~~either~~ the streetscape or the adjacent front/side yard near commercial or civic spaces. ~~(2 pts)~~ (Ord. 1518-01 § 3 (part); Ord. 1627-02 § 5.)



Permitted Thoroughfare Types By District

	Neighborhood Edge (NE)	Neighborhood General (NG)	Neighborhood Center (NC)	Town Center (TC)
Maximum Block Length	1000 ft max.	900 ft. max.	700 ft. max.	600 ft. max.
Thoroughfare Types				
PS-0-8			*	*
PT-0-8	*	*	*	
LA-16-12 ^{Ωa}	*	*	*	
AL-22-22			*	*
AL-86-60			*	*
CL-42-22	*	*	—	—
ST-52-26	*	*	*	
ST-48-22	*	*	*	
CO-54-26		*	*	*
CO-60-32		*	*	*
BV-76-40	*	*	*	*
BV-120-60			—	*
BV-90-60			*	*
CS-62-36			*	*
CS-112-88			*	*
CS-88-64			*	*
CS-73-49				*
CS-75-51			*	*

^{Ωa}: A modified version of LA-16-12 with 20’ of pavement, 20’ ROW, and 10’ rear setback for outbuildings may be used in the Neighborhood Edge and Neighborhood General districts to the rear in the back of single family dwelling units that front civic spaces.

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

PT-00-8

Path: An independent access way generally running through open space or parallel with highways.


LA-16-12

Lane: A vehicular access way located to the rear of lots providing access to parking and outbuildings and utility easements. No overhead wires, no overhangs, and no parking permitted in the right-of-way.

<u>Type</u>	Path	Lane
<u>Movement</u>	Bicycles and Pedestrians Only	Yield Movement
<u>R.O.W. Width</u>	Varies	16 ft.
<u>Pavement Width</u>	N/A	12 ft.
<u>Traffic Flow</u>	N/A	Two Way
<u>Number of Parking Lanes</u>	N/A	None
<u>Curb Type</u>	N/A	Center Drain
<u>Curb Radius</u>	N/A	At intersection with ST 18' with 20' taper At intersection with LA 22' with 20' taper
<u>Planter Width</u>	Varies	2 ft.
<u>Planter Type</u>	Continuous	Continuous
<u>Planting Pattern</u>	Single and Cluster, avg. 1/30 ft.	Low shrubs (if provided), max. height 30"
<u>Tree Type</u>	See city forester approved tree species list Landscape Standards	See city forester approved tree species list Landscape Standards
<u>-</u>		
<u>Sidewalks</u>	None	None
<u>Sidewalk Width</u>	N/A	N/A
<u>Sidewalk Edge to R.O.W.</u>	N/A	N/A

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

AL-22-22

Alley: A vehicular access way to the rear of more urban lots providing service areas, parking access, and utility easements. Alleys must be approved by Refuse Collection Division.



PS-0-8

Passage: A pedestrian connector passing between buildings. Passages provide shortcuts through long blocks and connect rear parking areas with street frontages. Passages may be roofed over and lined by shopfronts.

Type	Alley	Passage
Movement	Slow Movement	Pedestrian Only
R.O.W. Width	22 ft.	0
Pavement Width	22 ft.	8 to 18 ft.
Traffic Flow	Two Ways	N/A
Number of Parking Lanes	None	N/A
Curb Type	None	N/A
Planter Width	None	Varies
Planter Type	None	Individual
Planting Pattern	None	Occasional
Tree Type	None	See city forester approved tree species list
		Landscape Standards
Sidewalks	None	N/A
Sidewalk Width	N/A	N/A
Sidewalk Edge to R.O.W.	N/A	N/A

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

ST-52-26

ST-48-22


Street: A local, slow-movement thoroughfare suitable for Neighborhood Edge, Neighborhood General and Neighborhood Center districts. A street is urban in character, with raised curbs, closed drainage, sidewalks, parallel parking, and trees in continuous planting areas. Character may vary somewhat, however, responding to the fronting commercial or residential uses.

Street: A local, slow-movement thoroughfare suitable for Neighborhood Edge, Neighborhood General and Neighborhood Center districts. A street is urban in character, with raised curbs, closed drainage, sidewalks, parallel parking, and trees in continuous planting areas. Character may vary somewhat, however, responding to the fronting commercial or residential uses.

Type	Residential Street	Residential Street
Movement	Yield Movement	Slow Movement
R.O.W. Width	52 ft.	48 ft.
Pavement Width	26 ft.	22 ft.
Traffic Flow	Two Ways	Two Ways
Number of Parking Lanes	Both Sides	One Side
Curb Type	Raised	Raised
Curb Radius	At intersection with ST 15'	At intersection with ST 15'
Planter Width	7 ft.	7 ft.
Planter Type	Continuous	Continuous
Planting Pattern	Allee 30 ft. O.C.	Allee 30 ft. O.C.
Tree Type	See city forester approved tree species list-Landscape Standards	See city forester approved tree species list-Landscape Standards
Sidewalks	Both Sides	Both Sides
Sidewalk Width	5 ft.	5 ft.
Sidewalk Edge to R.O.W.	1 ft.	1 ft.

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

CS-88-64

CS-75-51

Commercial Street: a local, slow-movement thoroughfare suitable for Town Center and Neighborhood Center districts, providing frontage for higher-density mixed-use buildings such as residential, shops and offices. It is urban in character with raised curbs, storm-drain inlets, and striped on-street parking. A single species of tree is planted in opportunistic alignment and confined by individual planters. Clear trunks and high canopies are necessary to avoid shopfronts, signage and awnings.


Commercial Street: a local, slow-movement thoroughfare suitable for Town Center and Neighborhood Center districts, providing frontage for higher-density mixed-use buildings such as residential, shops and offices. It is urban in character with raised curbs, storm-drain inlets, and striped on-street parking. A single species of tree is planted in opportunistic alignment and confined by individual. Clear trunks and high canopies are necessary to avoid shopfronts, signage and awnings.

Type	Commercial Street	Commercial Street
Movement	Slow Movement	Slow Movement
R.O.W. Width	88 ft.	75 ft.
Pavement Width	64 ft.	51 ft.
Traffic Flow	Two Ways	Two Ways
Number of Parking Lanes	Two — diagonal (45 degree)	Two: 1 — diagonal (45 degree); 2 - parallel
Curb Type	Raised	Raised
Planter Width	4 ft. in TC, 7 ft. in NC	4 ft. in TC, 7 ft. in NC
Planter Type	Individual	Individual
Planting Pattern	Allee, 30 ft. O.C. — coordinate w/ parking	Allee, 30 ft. O.C. — coordinate w/ parking
Tree Type	See city forester approved tree species list Landscape Standards	See city forester approved tree species list Landscape Standards
Sidewalks	Both Sides	Both Sides
Sidewalk Width	12 ft. in TC, 5 ft. in NC	12 ft. in TC, 5 ft. in NC
Sidewalk Edge to R.O.W.	0	1 ft.

*22' will be allowed for private streets.

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

CO-60-32

Collector Street: A local, slow-movement thoroughfare suitable for Neighborhood General, Neighborhood Center and Town Center districts. Streets provide frontage for high-density buildings such as offices, shops, apartment buildings and rowhouses. A street is urban in character, with raised curbs, closed drainage, sidewalks, parallel parking, and trees in individual planting areas. Character may vary somewhat, however, responding to the fronting commercial or residential uses.


CO-54-26

Collector Street: A local, slow-movement thoroughfare suitable for Neighborhood General, Neighborhood Center and Town Center districts. Streets provide frontage for high-density buildings such as offices, shops, apartment buildings and rowhouses. A street is urban in character, with raised curbs, closed drainage, sidewalks, parallel parking, and trees in individual planting areas. Character may vary somewhat, however, responding to the fronting commercial or residential uses.

Type	Collector Street	Collector Street
Movement	Free Movement	Free Movement
R.O.W. Width	60 ft.	54 ft.
Pavement Width	32 ft.	26 ft.
Traffic Flow	Two Ways	Two Ways
Number of Parking Lanes	Both Sides	One Side
Curb Type	Raised	Raised
Planter Width	7 ft.	7 ft.
Planter Type	Continuous	Continuous
Planting Pattern	Allee 30 ft. O.C.	Allee 30 ft. O.C.
Tree Type	See city forester approved tree species listLandscape Standards	See city forester approved tree species listLandscape Standards
-	-	-
-	-	-
Sidewalks	Both Sides	Both Sides
Sidewalk Width	5 ft.	5 ft.
Sidewalk Edge to R.O.W.	2 ft.	2 ft.

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CS: Commercial Street
- DR: Drive
- HW: Highway
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

CS-62-36

CS-73-49



Commercial Street: A local, slow-movement thoroughfare suitable for Neighborhood Center and Town Center districts, providing frontage for higher-density mixed-use buildings such as shops and offices. It is urban in character with raised curbs, storm-drain inlets, and striped on-street parking. A single species of tree is planted in continuous alignment. Clear trunks and high canopies are necessary to avoid shopfronts, signage, and awnings.

Commercial Street: A local, slow-movement thoroughfare suitable for Neighborhood Center and Town Center districts, providing frontage for higher-density mixed-use buildings such as shops and offices. It is urban in character with raised curbs, storm-drain inlets, and striped on-street parking. A single species of tree is planted in continuous alignment and confined by individual planters to create a sidewalk of maximum width, with areas accommodating street furniture. Clear trunks and high canopies are necessary to avoid shopfronts, signage, and awnings.

Type	Commercial Street	Commercial Avenue
Movement	Free Movement	Speed Movement
R.O.W. Width	62 ft.	73 ft.
Pavement Width	36 ft.	49 ft.
Traffic Flow	Two Ways	Two Way w/ shared center turn lane
Number of Parking Lanes	Both Sides	Both Sides
Curb Type	Raised	Raised
Planter Width	7 ft.	4 ft.
Planter Type	Continuous	Individual
Planting Pattern	Allee 30 ft. O.C.	Allee 30 ft. O.C.
Tree Type	See city forester approved tree species list Landscape Standards	See city forester approved tree species list Landscape Standards
Sidewalks	Both Sides	Both Sides
Sidewalk Width	5 ft.	12 ft.
Sidewalk Edge to R.O.W.	1 ft.	None

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

BV-120-60

BV-76-40



Boulevard: a wide access way, often lined with trees or landscaped and a landscaped median in the center with its axis usually terminated. A boulevard may be conceived as an elongated square

Boulevard: a wide access way, often lined with trees or landscaped and a landscaped median in the center with its axis usually terminated. A boulevard may be conceived as an elongated square

Type	Boulevard	Boulevard
Movement	Speed Movement	Free Movement
R.O.W. Width	120 ft.	76 ft.
Pavement Width	30 ft. and 30 ft.	20 ft. and 20 ft.
Traffic Flow	One Way Each Side	One Way Each Side
Number of Parking Lanes	One Way Each Side	One Way Each Side
Curb Type	Raised	Raised
Planter Width	4 ft. Sides, Variable Center	7 ft. Sides, 10 ft. Center
Planter Type	Individual Sides, Continuous Center	Individual Sides, Continuous Center
Planting Pattern	Double Allee 30 ft. O.C.	Staggered Allee 30 ft. O.C.
Tree Type	See city forester approved tree species list Landscape Standards	See city forester approved tree species list Landscape Standards
Sidewalks	Both Sides	Both Sides
Sidewalk Width	12 ft. at Sides, 8 ft. at Center	5 ft.
Sidewalk Edge to R.O.W.	None	1 ft.

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

CS-112-88

Commercial Street: a local, slow-movement thoroughfare suitable for Neighborhood Center and Town Center districts providing frontage for higher-density mixed-use buildings such as, shops and offices. It is urban in character with raised curbs, storm-drain inlets, and striped on-street parking. A single species of tree is planted in continuous alignment and confined by individual planters to create a sidewalk of maximum width, with areas accommodating street furniture. Clear trunks and high canopies are necessary to avoid shopfronts, signage and awnings.



BV-90-60

Boulevard: a wide access way, often lined with trees or landscaped and a landscaped median in the center with its axis usually terminated. A boulevard may be conceived as an elongated square.

Type	Commercial Street	Boulevard
Movement	Slow Movement	Free Movement
R.O.W. Width	112 ft.	90 ft.
Pavement Width	88 ft.	30 ft. and 30 ft.
Traffic Flow	Two Ways	One Way Each Side
Number of Parking Lanes	Two — diagonal (45 degree)	One Way Each Side
Curb Type	Raised	Raised
Planter Width	4 ft.	4 ft.
Planter Type	Individual	Individual Sides, Continuous Center
Planting Pattern	Allee, 30 ft. O.C. — coordinate w/ parking	Allee 30 ft. O.C.
Tree Type	See city forester approved tree species listLandscape Standards	See city forester approved tree species listLandscape Standards
Sidewalks	Both Sides	Both Sides
Sidewalk Width	12 ft.	12 ft.
Sidewalk Edge to R.O.W.	0	0

THOROUGHFARE TYPES

- AL: Alley
- BV: Boulevard
- CL: Close
- CO: Collector
- CS: Commercial Street
- LA: Lane
- PT: Path
- PS: Passage
- ST: Street



Thoroughfare Standards

AL-86-60

CL-42-22

Alley: This type of alley is limited to the neighborhood center and town center districts and will serve as circulation/access to parking and not as a conveyance of network traffic.

Close (or service street): A thoroughfare enclosing a small green.

Type	Alley	Close (or Service Street)
<u>Movement</u>	Slow Movement	Yield Movement
<u>R.O.W Width</u>	.86	42 ft.
<u>Pavement Width</u>	.60 ft.	22 ft.
<u>Traffic Flow</u>	Two Ways	Two Ways
<u>Number of Parking Lanes</u>	Two – head-in	One side
<u>Curb Type</u>	Raised	Raised
<u>Planter Width</u>	7 ft.	7 ft.
<u>Planter Type</u>	Individual	Continuous I
<u>Planting Pattern</u>	Allee, 30 ft. O.C. -	Allee 30 ft. O.C.
<u>Tree Type</u>	See Landscape Standards	See Landscape Standards
-		
-		
<u>Sidewalks</u>	Both sides	One Side (house side)
<u>Sidewalk Width</u>	5 ft.	5 ft.
Sidewalk Edge to R.O.W	1 ft.	1 ft.

[correct tree types this page](#)

3320.17 Civic spaces and civic buildings.

A. ~~General Development Standards~~

1. Civic space types are designated on the ~~regulating plan~~ zoning clearance application and conform with the Permitted Civic Space Types by Districts Table and the Civic Space Landscape Standards.

2. Civic building sites are designated on the regulating plan and are not required to be located on a civic space.

3. Frontage type requirements do not apply to civic buildings, except for retail uses.

4. Parking location for civic buildings is designated on the ~~zoning clearance application~~ regulating plan and approved in consideration of impact on surrounding uses.

5. Thoroughfares adjacent to civic spaces or civic buildings conform to the standards of the underlying districts. Thoroughfares within a civic space are designed integrally with the civic space.

6. Civic spaces that preserve significant natural features are allowed in all districts without limitation.

7. ~~For purposes of meeting allocation requirements,~~ at least fifty (50) percent of any district is other than civic space.

8. Civic spaces of one acre or greater will be dedicated to public use, accepted by the city of Columbus, and maintained by the recreation and parks department to a standard similar to other civic spaces maintained by them. Civic spaces approved at the time of rezoning count toward the requirements of Columbus City Codes Chapter 3318.

9. Civic spaces to be owned and maintained by the city of Columbus or otherwise dedicated for public use are accessed by a public thoroughfare.

~~B. Mandatory Elements:~~

1. The development contains civic spaces within the required distance of each housing unit. ~~(3 pts)~~

2. Civic space types are designated on the ~~zoning clearance application~~ regulating plan and conform with the standards specified in the Civic Space Types by Districts Table and the Civic Space Landscape Standards. ~~(3 pts)~~

3. A majority of civic spaces and civic building space have a minimum of fifty (50) percent of their perimeter along a thoroughfare excluding alleys, lanes and paths. All civic spaces must have frontage on a thoroughfare. ~~(3 pts)~~

4. Side and rear setbacks are no smaller than those required for private buildings on adjacent lots. ~~(3 pts)~~

5. On-site parking does not exceed the number of spaces required by this article minus the number of parking spaces that can reasonably be accommodated on-street adjacent to the civic building. ~~(3 pts)~~

6. Each neighborhood center and town center district contains at least one (1) civic space designed and

improved as a plaza, square or green of no less than one half (.5) acre and no greater than three (3) acres. ~~(3 pts.)~~

~~7. Land designated for neighborhood commercial uses, such as a live work space, daycare center, and convenience store, in neighborhood center districts of more than five (5) acres is integrated into the regulating plan. (3 pts.)~~

~~8. Rezoning applications of more than one hundred acres shall include neighborhood commercial uses of not less than three (3) acres, limited to uses permitted in the C1 zoning district.~~

~~9. Rezoning applications containing thoroughfare types BV, CO, and CS shall include neighborhood commercial uses of not less than three (3) acres limited to uses permitted in C1 zoning district.~~

8. At least one (1) civic space in each neighborhood general, neighborhood edge, and neighborhood center district containing ~~single one~~ family dwellings is furnished with play equipment for children according to Civic Space Improvement and Landscape Standards. One (1) civic space in each district is landscaped and furnished with benches; the remainder are landscaped. ~~(3 pts.)*~~

9. All parking lots along frontages are masked by a ~~streetwall, continuous wall or fence with a minimum height of thirty-six (36) inches and ninety (90) percent opacity and/or hedges conforming to the same standards within three (3) years.~~ ~~(3 pts)~~

10. Parking lots are planted with indigenous shade trees at a minimum ratio of one (1) tree per ten (10) parking spaces. ~~(3 pts)~~

~~11. Trash compactors and dumpsters are not located in or adjacent to civic spaces unless they serve are associated with a civic building and are so designated on the zoning clearance application regulating plan.~~

~~12. At least fifty (50%) percent of the overall civic space area shall be located in one contiguous location.~~

~~C. Desired Elements:~~

1. Civic building site(s) are designated on the ~~zoning clearance application~~ regulating plan. ~~(2 pts.)*~~

2. ~~A commitment exists to build Civic Spaces may contain~~ minor civic structures such as a picnic shelter, park facilities, gazebo or centralized mail facility. Any structure shown on a site plan must be built by the applicant. ~~(2 pts.)*~~

~~3. A commitment exists to build non retail commercial uses. (2 bonus pts.)~~

~~4. A civic building site intended for use as a childcare center is reserved in each neighborhood center or neighborhood general district. (2 pts)~~

~~—5.— A commitment exists to build a daycare center or pre-school. (2 bonus pts)~~

~~—6.— A commitment exists to build significant civic buildings such as a school, religious building, meeting hall, library, indoor recreation facility, or public swimming pool. (6 bonus pts.)~~

~~—7.— A commitment exists to build a corner store or other neighborhood retail. (6 bonus pts.)*~~

~~8. —8.— A school site acceptable to local public or private school officials has been reserved if it is determined by the local public school district that a new school is required. A commitment to establish a private or charter school may substitute for this requirement, dedicated (if applicable). (3 pts.)*~~

~~—12.— A corner store or café acceptable to Cota as a transit stop is contained within each neighborhood center or town center district (if applicable). (1 pts.)*~~

13. A commitment exists to build a transit stop acceptable to local transit authority COTA (if applicable). (2 pts.)*

~~*—Multiple points possible.~~

9. There shall exist a buffer of fifty (50) feet around all existing natural features. No utilities or easements shall be permitted in the buffer area.

~~—9.— A school site will be deeded to a public or private school. (2 bonus pts)~~

10. Civic buildings, civic spaces, natural features and/or structures terminate major vistas associated with CO, BV, and CS thoroughfare types. (2 pts.)*

11. Civic space within each neighborhood center district is within five hundred (500) feet of the geographic center of the pedestrian shed. (1 pts.)* define center of pedestrian shed or eliminate.

(Ord. 1518-01 § 3 (part); Ord. 1627-02 § 8.)


Permitted Civic Space Types by Districts

	Neighborhood Edge (NE)	Neighborhood General (NG)	Neighborhood Center (NC)	Town Center (TC)
Civic Space Types				
Park	*	*		
Green	*	*	*	
Square		*	*	*
Plaza				*
Maximum distance from each residential unit	1800 ft.	1400 ft.	1000 ft.	800 ft.


Civic Space Landscape and Improvement Standards

Civic Spaces	Landscape, Lighting	Site Accessories, Walks, Parking
General Standards	1.0 Tree species to conform to the City of Columbus approved tree species list as provided by the City Forester. 2.0 Planned turf areas shall be installed at the time the adjacent roadways are completed. 3.0 Lighting, if provided, will be ornamental lighting fixtures, which meet the approval of the Recreation and Parks Department.	1.0 All benches and trash receptacles shall be placed on a permanent pad which meets the approval of the Recreation and Parks Department. 2.0 Playground equipment and installation shall be approved by the Recreation and Parks Department. 3.0 Benches selected for all public spaces shall meet the approval of the Parks and Recreation Department. 4.0 The minimum bench size is six feet in length. 5.0 Refuse containers shall be provided at a rate of one container per two benches. 6.0 Refuse containers shall be generally located near a bench. 7.0 Refuse containers shall meet the approval of the Parks and Recreation Department. 8.0 Wood benches are to be discouraged. 9.0 Sidewalks will be constructed of a permanent paving material such as concrete, stone bricks, or unit pavers. 10.0 Bike paths will generally be constructed of asphalt and will comply with the typical City of Columbus construction standard.
Park	1.0 Tree plantings within parks shall be predominantly large deciduous trees. 2.0 Trees will be planted at a rate of 10 trees per acre. Preservation of existing trees, if approved by the Recreation and Parks Department, may count toward fulfilling one half the tree planting requirement. 3.0 The minimum tree size for parks shall be: 3.1 Deciduous tree-1.5 inch cal. 3.2 Evergreen Tree-7' ht. 3.3 Ornamental Tree-1.5 inch caliper. 4.0 Tree species to conform to the City of Columbus approved tree species list as provided by the City Forester. 5.0 Turf shall be installed in all park areas at the time the adjacent roadways are completed.	1.0 Parking will be permitted in parks over five acres. 2.0 Location of the parking lot shall be approved by the Department of Parks and Recreation. 3.0 All parking lots will be screened from view from the public R.O.W. by a 3' landscape hedge or wall. 4.0 Benches will be provided in parks at a rate of 4 benches per acre of park.
Green	1.0 Tree plantings within greens shall be predominantly large deciduous shade trees. 2.0 Deciduous shade trees will be planted at a rate of 10 trees per acre. 3.0 Additional ornamental trees are encouraged. 4.0 The minimum tree size for parks shall be: 4.1 Deciduous tree-1.5 inch caliper. 4.2 Ornamental Tree-1.5 inch caliper.	1.0 Parking shall occur on the streets adjacent to the greens. No surface parking shall be permitted in the greens. 2.0 Benches will be provided in greens at a rate of 4 benches per acre of green.
Square	1.0 Deciduous shade trees will be planted at a rate of 10 trees per acre. 2.0 Additional ornamental trees may be used to supplement the required standard for deciduous shade trees. 3.0 The minimum tree size for squares shall be: 3.1 Deciduous tree-1.5 inch cal. 3.2 Ornamental Tree-1.5 inch caliper.	1.0 Parking shall occur on the streets adjacent to the squares. No surface parking shall be permitted in the squares. 2.0 Benches will be provided in squares at a rate of 1 bench per 7500 sq. ft. of square.
Plaza	1.0 Tree plantings within squares shall be predominately deciduous shade trees. 2.0 Trees will be planted at a rate of 1 tree per 2500 square feet. 3.0 Additional ornamental trees may be used to supplement the required standard for deciduous shade trees. 4.0 The minimum tree size for plaza shall be: 4.1 Deciduous tree-1.5 inch cal. 4.2 Ornamental Tree-1.5 inch caliper.	1.0 Parking is not permitted in plazas and shall be restricted to the streets adjacent to the plaza. 2.0 Benches will be provided at a rate of 1 bench per 10000 sq. ft. of plaza 3.0 Plaza's will be constructed of a permanent paving material such as concrete, stone bricks, or unit pavers.


change to 10 trees per provided civic space




Park



Green



Square



Plaza

3320.19 Private buildings.

This chapter shall contain Sections 3320.191 through 3320.195 and Building Standards Table, Use Standards Table and Frontage Types Chart. When used for unplatted developments In the case of condominium developments, lot size requirements are to be considered dimensional requirements.

A. General Development Standards

1. Standards for the following uses are specified in the Use Standards Table: residential, lodging, office, retail, manufacturing, and civic.

2. The configuration and disposition of lots and buildings is specified in the Building Standards Table and the Frontage Types Illustrations.

3. The required number of off-street parking spaces are specified in the Use Standards Table. The parking requirement may be reduced by implementing a shared parking policy based on "Shared Parking" © 1983 by The Urban Land Institute or successor documents.

4. On-street parking within the frontage of the building is counted toward on-site parking requirements of apartment building and rowhouse building types but not residences above commercial uses. The required parking may be provided on private lots within the pedestrian shed (one-third (1/3) of a mile) of the lot it serves and on thoroughfares within the pedestrian shed. ~~if such parking is neither adjacent to another existing or proposed use nor counted toward another use.~~

5. At the discretion of the applicant, on-street parking may not be counted toward the maximum parking requirements of retail uses.

6. If a commercial parking structure exists or is planned within the pedestrian shed, the required parking may be purchased, depending on availability.

~~7. As much as forty (40) percent of the neighborhood edge land area may be developed with neighborhood general standards for single unit dwellings, provided these standards are not used for any portion of neighborhood edge located immediately along the exterior perimeter of the overall development site.~~

8. The following uses are prohibited in all TND districts zones: drive-thru ~~ough~~ commercial uses buildings, except service stations, book and video drops and banks; vending machines, except within buildings; detached signs and billboards; ~~"big box" and~~ single use tenants of ten thousand (10,000) square feet or more; exterior commercial kennels and animal husbandry; prisons; depots for the distribution or storage of goods; scrap yards except recycling collection centers; automotive sales, except service and repair not exceeding four garage bays; mineral extraction; landfills and dumps; electric substation; newspaper printing; off-

premises graphics, except for off-premises graphics which are approved as part of a graphics plan or special permit by the graphics commission; ~~adult bookstore, adult motion picture theater, adults only entertainment facility, production of adult materials or adult entertainment, sale of adult videos or other sexually oriented businesses; armory;~~ pool room; poultry killing (killing or dressing for sale at retail on the premises); stable; ~~tinsmith; ice house; outside storage of wrecked or non-operative motor vehicles associated with any garage repair shop or motor vehicle repair/maintenance use.~~

9. A maximum of twenty (20) percent of the units in neighborhood general may be built as two (2)-unit dwellings, unless a greater percentage higher level is indicated and approved in the development plan.

10. A maximum of ten (10) percent of the units in neighborhood general may be four (4)-unit dwellings and must be depicted on the zoning clearance application regulating plan.

~~—B. Mandatory Elements.~~

1. The developer will not permit the placement of single-family houses substantially similar in design next to or directly across the street from each other. ~~(3 pts.)~~

2. The ~~regulating plan complies with the requirements of the~~ Use Standards Table, Building Standards Table, and Frontage Types illustrations shall govern permitted buildings and uses in each district. ~~(3 pts.)~~

~~3. The configuration and disposition of lots and buildings complies with the Building Standards Table and the Frontage Types Illustration. (3 pts.)~~

4. The facade is parallel to straight frontage lines and parallel to the chord of curved or broken frontage lines. ~~(3 pts.)~~

5. Building facades along the frontage line meet the frontage requirements of the Building Standards Table. ~~(3 pts.)~~

6. Principal building(s) have a front door opening directly to a building frontage line on a principal thoroughfare. ~~(3 pts.)~~

7. Trash containers are stored at the side or rear of buildings outside the public-right-of-way/thoroughfares. ~~(3 pts.)~~

8. Garage door opening(s) facing a frontage do not exceed forty (40) percent of the width of the house facade (including the garage). ~~(3 pts.)~~

9. Storefronts shall have no more than one (1) integral sign and one (1) blade sign for each retail establishment on each facade. ~~(3 pts.)~~

10. The blade sign of a storefront is located either just above or just below the integral sign, is no larger

than five (5) square feet per side and does not project more than three (3) feet in any direction. (3 pts.)

11. Where different zones abut along a side or rear property line, the larger of the required side and rear setbacks apply along the shared property line. (3 pts.)

12. Frontage types are designated on the zoning clearance application regulating plan in compliance with the Frontage Types Illustrations. (3 pts.)

13. Private sidewalks are provided between the public sidewalk and building entrances and between connecting parking areas and the public sidewalk. (3 pts.)

14. All parking lots along frontages are masked by a continuous wall or fence with a minimum height of thirty-six (36) inches and ninety (90) percent opacity and/or hedges conforming to the same standards within three (3) years. All parking lots along frontages are masked by a streetwall, and/or a hedge. (3 pts.)

15. Parking lots are planted with indigenous shade trees at a minimum ratio of one (1) tree per ten (10) parking spaces. (3 pts.)

16. The integral sign of a storefront is located on a frieze, fascia or awning located directly above the storefront. Signage is broken at intervals of no greater than twenty (20) feet. (3 pts.)

17. Retail buildings shall use The the shopfront or parking way frontage type. — is used along retail frontages. (3 pts.)

18. Residential buildings in neighborhood center district have at least one (1) entrance door facing the thoroughfare for every two (2) ground floor units facing the thoroughfare street. (3 pts.)

19. In the neighborhood edge district, double width driveways are permitted only on lots of fifty-five (55) feet width or greater with the garage set back at least two (2) feet from the front façade of the main building. (3 pts.)

20. In the neighborhood edge district, single width driveways are permitted only on lots of fifty (50) feet width or greater with the garage setback at least twenty (20) feet from the front façade of the main building. (3 pts.)

21. Vistas of six hundred (600) feet or longer are terminated by buildings or civic spaces. (3 pts.)

22. No more than fifty (50) percent of the units in a building may face an AL-86-60. (3 pts.)

~~C. Desired Elements:~~

1. The first floor of frontages of parking structures is dedicated to commercial use, excluding parking, and upper stories at frontages are articulated to disguise the appearance of the garage. (3 pts.)

~~2. Parking structures are masked by a building from the thoroughfares.~~ (3 pts.)

3. Parking structures do not connect lead directly to the buildings they serve and provide a pedestrian access route along a thoroughfare frontage line to the main building entrance. (1 pts.)

4. Buildings are placed on axis to terminate vistas. (1 pts.)

5. Garages facing a thoroughfare except lane or alley shall frontage use single car garage door openings. (0-3 pts.)

6. The integral sign of a storefront is no more than twenty-four (24) inches in height, and externally lit. (2 pts.) Consider permitting C1 graphics in Town Center and Neighborhood Center.

7. Utility meters, air-handling equipment and the like are set back at least ten (10) feet from the front façade of the buildings. (2 pts.)

~~8. The parking and private sidewalk systems in the town center district are landscaped.~~ (1 pts.)

9. Front or side porches of fifty (50) square feet or more are provided on one (1)-and two (2)-family buildings with the Porch & Fence frontage type. (0-3 pts.)

~~10. ——— 10. ———~~ Foundation planting is provided along all multifamily building frontages. Planting shall be of sufficient quantity and spacing to provide complete coverage of the entire length of the building (excluding doorways). (2 pts.) (Ord. 1518-01 § 3 (part); Ord. 1627-02 § 11.)

Any easements or pedestrian access through natural or historic resources must be identified in the development plan and can not be counted toward meeting Civic Space requirements.

	BUILDING STANDARDS TABLE DISTRICTS			
	Neighborhood Edge (NE)	Neighborhood General (NG)	Neighborhood Center (NC)	Town Center (TC)
LOT SIZE Width Φ Depth ψ	50 ft. min. 100 ft. min.	36 ft. to 72 ft. 100 ft. min.	12 ft. to 170 ft. 70 ft. min.	No limit No limit
FRONTAGE TYPE (See "Frontage Types Illustrations")	Common Lawn Porch & Fence	Porch & Fence Dooryard Common Lawn Stoop <u>Shopfront & Awning</u>	Dooryard Forecourt Stoop Shopfront & Awning Gallery & Arcade Porch & Fence Parking Way #	Stoop Shopfront & Awning Gallery & Arcade Parking Way#
FRONTAGE Build-out Setback*	30 % min. 25 ft. min.	40 % min. 12 ft. to 18 ft. established for each block	50 % min. 3 ft. to 12 ft. established for each block	80% min. 6 ft. max.
SIDE SETBACK Principal Building Ω Each side Outbuilding Attached Garage	5 ft. min. 5 ft. min. 5 ft. min.	Min. 8 ft. total Min. 3 ft. 0 min.*** 0 min. ***	0 min.***	0 min.***
REAR SETBACK Principal Building Outbuilding <u>portion</u> Attached Garages <u>portion</u>	24 ft. min. 6 ft. min. <u>NA</u>	24 ft. min. 6 ft. min. 6 ft. min.	6 ft. min. 6 ft. min. 6 ft. min.	0 min. 0 min. 0 min.
BUILDING HEIGHT	35 ft. max.	35 ft. max.	45 ft. max.	60 ft. max.

<u>Permitted</u> PARKING Location π	1st & 2nd layers in driveway, 3rd layer	1st & 2nd layers in driveway, 3rd layer	2nd & 3rd layers masked <u>must be screened</u>	2nd & 3rd layers <u>must be screened</u>
**Lots	prohibited	prohibited	permitted	permitted
Structures	prohibited	prohibited	permitted	permitted

* Stoops or porches can encroach eight feet into the set back in the Neighborhood Edge and Neighborhood General districts.

** Temporary model home parking lots permitted.

***Zero side setback requires a three feet maintenance easement.

permitted only within the frontage of retail uses.

Note: Construction with a zero set back may subject the applicant to additional requirements and standards such as City of Columbus Building Codes and foundation encroachment into the Right-Of-Way.

Ψ In Neighborhood Edge and Neighborhood General districts minimum lot depth may be reduced to a minimum of 70' if at the same time the width is increased from the stated minimum by a ratio of 3 to 1 (for every 3' reduction in depth the width is increased by 1').

Φ Minimum lot width in Neighborhood General district may be reduced to 25' provided that the lot is to be used for a two-family dwelling and adjoins another 25' minimum lot accommodating the remainder of the two-family dwelling.

Ω Minimum side setback for two to four family dwellings at the common wall side shall be 0.

π In neighborhood Center and Town Center districts 1st layer parking is permitted utilizing the parking way frontage type under circumstances indicated in the article.

In Neighborhood General (NG) for the construction of doubles/duplexes the lot width can be reduced to twenty-seven and one half (27.5) feet and the side setback for the party wall/shared wall can be reduced to zero (0). Other side setbacks still apply.

BUILDINGUSE -STANDARDS TABLE			
DISTRICTS			
Neighborhood Edge (NE)	Neighborhood General (NG)	Neighborhood Center (NC)	Town Center (TC)

<p>RESIDENTIAL Principal building No. dwellings on the ground floor No. parking spaces <u>Building types</u> <u>Permitted uses</u></p> <p>Garage No. dwellings No. parking spaces Building types</p>	<p>1 2 house</p> <p>1 1 1 ancillary D.U.</p>	<p>1-2 2/dwelling house, sideyard house, two-family dwelling, rowhouse</p> <p>1* 1 1 ancillary D.U.</p>	<p>1-8X 2/dwelling house, sideyard house, rowhouse, apartment building live-work, two-family dwelling <u>dwelling units</u></p> <p>1* 1 1 ancillary D.U.</p>	<p>No limit 2/dwelling, _____ or 1/bedroom apartment bldg, rowhouse live-work, <u>dwelling units</u></p> <p>0</p>
<p>LODGING No. bedrooms No. parking spaces Food Service <u>Building types</u> <u>permitted uses</u></p>			<p>As limited by parking 1/leasable bedroom anytime boarding-house B&B</p>	<p>As limited by parking 1/leasable bedroom anytime boarding-house hotel</p>
<p>OFFICE Space available No. parking spaces <u>permitted uses</u> <u>Building types</u></p>	<p>as permitted in section 3332.37 home occupation</p>	<p>as permitted in section 3332.37 home occupation</p>	<p>As limited by parking 1/250 sq ft corporate-office medical-office bank C1 uses</p>	<p>As limited by parking 1/250 sq ft corporate-office medical-office bank C1 uses</p>
<p>RETAIL Space available No. parking spaces <u>permitted uses</u> <u>Building types</u></p>		<p>1st floor corner lot 1/300 sq ft max corner store cafe, child <u>day-care center</u></p>	<p>As limited by parking 1/300 sq ft max child <u>day care center</u> corner store café <u>shopfront</u></p>	<p>As limited by parking 1/300 sq ft max shopfront store convenience retail child-care C 1 uses</p>

<p>MANUFACTURING Space available</p> <p>No. parking spaces Building types Use limitations</p>			<p>1st floor outbuilding & walled rear yard</p> <p>home workshop artist studio woodcraft furniture refinishing bicycle repair pottery making</p>	<p>Principal building & Walled rear yard</p> <p>warehouse</p>
---	--	--	---	--











*Not required if access is from alley or lane.

X In the Neighborhood Center district there shall be no more than eight (8) dwelling units on the ground floor facing or fronting each thoroughfare.

Retail buildings shall use the shopfront or parking way frontage type.

Repeat all use related standards.

Repeat all parking related standards.

	FRONTAGE LINE	RIGHT-OF-WAY VARIES
<p>Gallery & Arcade: a façade of a building or an attached colonnade. The building overlaps the sidewalk above while the ground story remains set back at the lot line. <i>This type is indicated for retail use, but only when the sidewalk is fully absorbed within the arcade so that a pedestrian cannot bypass it. An easement for private use of the right-of-way is usually required. To be useful, the arcade should be no less than 12 ft wide.</i></p>		
<p>Shopfront & Awning: a façade is aligned close to the frontage line with the entrance at sidewalk grade. <i>This type is conventional for retail frontage. It is commonly equipped with cantilevered shed roof or an awning. The absence of a raised ground story precludes residential use on the ground floor, although this use is appropriate above.</i></p>		
<p>Stoop: a façade is aligned close to the frontage line with the ground story elevated from the sidewalk, securing privacy for the windows. <i>This type is suitable for ground-floor residential uses at short setbacks with rowhouses and apartment buildings. An easement may be necessary to accommodate the encroaching stoop. This type may be interspersed with the shopfront.</i></p>		
<p>Forecourt: a façade is aligned close to the frontage line with a portion of it set back. The forecourt created is suitable for gardens, vehicular drop offs, and utility off loading. <i>This type should be used sparingly and in conjunction with the two frontage types above, as a continuous excessive setback is boring and unsafe for pedestrians. Trees within the forecourts should be placed to have their canopies overhanging the sidewalks.</i></p>		
<p>Dooryard : a façade is set back from the frontage line with an elevated garden or terrace, or a sunken light court. <i>This type can effectively buffer residential quarters from the sidewalk, while removing the private yard from public encroachment. The terrace is suitable for restaurants and cafes as the eye of the sitter is level with that of the standing passerby. The light court can give light and access to a basement.</i></p>		
<p>Porch & Fence: a façade is set back from the frontage line with an encroaching porch appended. <i>The porch should be within a conversational distance of the sidewalk, while a fence (optional) at the frontage line maintains the demarcation of the yard. A great variety of porches is possible, but to be useful, none should be less than 8 ft wide.</i></p>		
<p>Common Lawn: a façade set back substantially from the frontage line. The front yard thus created should remain unfenced and be visually continuous with adjacent yards. The ideal is to simulate buildings sitting in a common rural landscape. <i>A front porch is not warranted, as social interaction from the fronting thoroughfare is unlikely at such a distance.</i></p>		
<p>Parking way: a façade no more than 80 ft from the right-of-way. Parking is placed within the first layer. Private sidewalks are provided between the public sidewalk and the building entrances. <i>The parking and private sidewalk system is landscaped to provide shade and shelter and a streetwall buffer. Appropriate transit stops are provided along the frontages, directly linked to the private sidewalk system.</i></p>		

Note: Frontage types may be altered to meet ADA requirements.

3320.21 Natural and historic resources.

A. ~~Desired elements.~~ Development Standards

1. Lakes, ponds, streams, and wetlands are retained in compliance with the approved rezoning application site plan showing the natural and historic resources to be preserved. ~~(0-2 pts.)~~

2. Specimen trees and significant tree stands are retained in compliance with the approved rezoning application site plan showing the natural and historic resources to be preserved. ~~(0-2 pts.)~~

3. Hilltops, ravines, ridges and significant topographic features are retained in compliance with the approved rezoning application site plan showing the natural and historic resources to be preserved. ~~(0-2 pts.)~~

~~—4.— Lakes, ponds, streams, wetlands, or tree stands are enhanced or created. (0-2 pts.)~~

~~—5.— Existing structures are retained and restored to useful purpose if deemed to be of historic value by the historic resources commission. The applicant has applied for their listing on the Columbus Register of Historic Places. (3 pts.) *~~

6. Existing natural or historic resources are preserved and incorporated into civic spaces in compliance with the approved rezoning application site plan showing the natural and historic resources to be preserved. ~~(2 pts.)~~

(Ord. 1518-01 § 3 (part).)